

EASY Sealer Remover



Benefits & Uses

An easy to apply A highly effective stripper designed for the removal of new or old paving sealers that have not taken properly or are tired or bloomed. Can also be used as a general paint and varnish stripper. Suitable for removing lacquer and polymer-based sealants For use on patios, paths & drives. Removes protective coatings from stone and concrete. Water based - No acids. Safe to use - low in odour

Expectations & Limitations of the Product

- Expectations** EASYCare Sealer Remover will effectively assist the removal of solvent surface sealers.
- Limitations** Does not remove impregnating sealers or protectors. More than one application may be required for particularly stubborn coatings.

Instructions for Use

- Prior to Use** Read through all of the instructions before commencing.
Wear protective clothing, gloves and eye and face protection.
For best results, use between 10°C and 20°C. Do not apply during rain or if rain is forecast within the application period (see below), or in frost or when surface and air temperature is below 5°C.
Do not try to spread the product too far as this will result in poor penetration and a poor result.
Allow EASY Sealer Remover to do its work; do not try to remove too quickly (see below).
Clean brushes and other equipment immediately after use with soapy water.
- Determine Working Times** To establish correct removal timings, suitability and compatibility, always test an inconspicuous area before use by creating 6 small test samples of no more than 50mm round with the liquid generously applied.
Apply the 6 samples at the same time - spaced sufficiently apart to allow individual washing and removal.
Remove 1 sample at a time, at 30 minute intervals, commencing after 3 hours. This will give you the correct timing for the product; whichever sample is perfectly clean after washing (see instructions below). This is the timing you will need for the whole area.

Application

Shake the container well before use. Cover top with a cloth during opening to avoid splashes.

Ensure surfaces to be stripped are dry before application.

Protection should be provided for floor coatings, or any surface that may be damaged by EASY Sealer Remover (perspex, plastics, rubber etc.).

Keep pets away until the surface is fully washed clean and is dry.

Using a suitable brush, apply a generous, even coat at a rate of 1 - 1.5m² per litre. IMPORTANT - DO NOT BRUSH OUT

Leave for the appropriate time established by the test samples (as above). Do not shortcut the process - the coating needs to be thick and left for a sufficient time to have the desired effect.

After product has penetrated into the substrate, all the coating can be easily removed using a power washer. Alternatively, a stiff deck brush and running water can be used.

Occasionally, where particularly stubbornly attached sealer remains, a second application may be required.

Examples of the issues arising from inappropriate or incorrect application

Poor Results

Some coatings can become very firmly attached. The concentration of the active ingredient in this product is very high but even then, sometimes additional applications are necessary to achieve the desired result. Other factors also impact.

1. Weather.
 - a. If the product has been applied in cold conditions it takes longer to work. In cold conditions, longer time must be allowed for the product to penetrate through to the substrate. Washing off too soon will give a poor result.
 - b. If the weather is hot, the product can dry before it has had time to penetrate - a re-application becomes necessary. Simply leaving it on there for hours when it is inactive will not help.
2. Insufficient product has been applied. This is common as users try to spread it too thinly.
3. The product has not been left on long enough.

Storage & Display

Do not store or display below 5°C. Keep out of direct sunlight and protect from frost.

Health & Safety

Contains Benzyl Alcohol

Warning: Harmful if swallowed

Keep out of reach of children

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Do not get in eyes, on skin, or on clothing

IF SWALLOWED: Immediately call a POISON CENTER or doctor

Wash hands thoroughly after handling

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Avoid breathing vapors

Note Harmful to plants and aquatic life. May be harmful to pets and wildlife when wet.